

Product Catalogue

Heiniger

quality  swiss made



Shearing & Clipping Equipment









Cutting-edge technology and precision - the first choice for professionals worldwide

Heiniger is a global manufacturing and distribution company forging new technologies in animal shearing and clipping equipment. It has operations in more than 50 countries around the world and is the clear world leader in the design and production of the finest shearing tools ever made. Whether it's sheep, cattle, horses, camelids or goats - all around the globe 24 hours a day, 7 days a week, an animal is being shorn or clipped by using Heiniger's quality equipment.

Swiss made quality. You can count on us.

Since 1965, Heiniger have set the standard for quality. Heiniger tools bring the performance, power and precision required by professionals. Heiniger's parent company is located in Herzogenbuchsee Switzerland, with subsidiaries in Australia and New Zealand.

Contents

	Page	
Sheep shearing clippers	4 - 11	
Handpiece	7	
Shearing plants	8 - 11	
Shearing combs for broad wool	12 - 13	
Shearing combs for fine wool	14 - 15	
All purpose shearing combs	16 - 17	
Winter and cover combs	18	
Special combs	19	
Shearing cutters	20	
Small animal clippers	21 - 23	
Small animal blades	24	
Cattle and horse clippers	25 - 31	
Cattle and horse blades	32 - 33	
Accessories	34	
Grinders and accessories	35 - 38	
Merchandising	39	

Sheep shearing clipper



XPERT

708-200 240V EU
708-201 240V GB
708-202 240V AUS



Shearing has a powerful new XPERT

The new XPERT sheep shearing machine from Heiniger is a real power package. Power and technology are combined at the highest level in a handy, light weight design. The unique and innovative, strong connection between the shearing head and fibreglass-reinforced housing ensures low-vibration. A shearing experience guaranteed to amaze.

Incl. carry case, blade set, screwdriver, oil, brush and instruction manual.



Specifications

Motor power:	200 watts*
Speed:	2500 db/min
Length:	301 mm
Weight:	1180 g
Noise emission (LpAm):	79 dB (A)

*Corresponds with the former motor technology 350 watts



XTRA

712-600 230V EU
712-630 230V GB
712-670 120V US



Patented shearing system. Thermal overload protection switch. Solid and robust.

The solid sheep shearing clipper

This powerful electric shearing handpiece has a patented floating fork system to provide an even pressure across the comb and cutter, using less pressure and extends the life of the comb and cutter by up to 50%.

Incl. carry case, blade set, screwdriver, oil, brush and instruction manual.

Specifications

Motor power:	320 watts
Speed:	2400 db/min
Length:	350 mm
Weight:	1530 g
Noise emission (LpAm):	80 dB (A)

Sheep shearing clipper



S 12

712-100



Battery-operated shearing machine 12V

Operation with car or motorcycle battery. Operating time of 4 to 5 hours with a 50 Ah battery. The only 12V battery shearing machine in the world. Can be used everywhere where a 12V power supply is available, a mains connection is not required.

Incl. carry case, blade set, screwdriver, oil, brush and instruction manual.

Specifications

Motor power:	160 watts
Speed:	2250 db/min
Length:	310 mm
Weight:	1230 g
Noise emission (LpAm):	80 dB (A)



ICON

721-180 ICON Worm coupling
721-160 ICON Pin coupling

Compatible with Heiniger shearing plants EVO and ONE.

**For professionals -
developed by World-Champions.**

Developed in co-operation with the Swiss Federal Institute of Technology Zurich (ETH) the Icon provides outstanding performance, longer working life and less maintenance. The Icon will accept any comb and cutter of standard width and is interchangeable with shearing plants of other manufacturers.



Specifications

Dimensions (WxHxL)	65 x 95 x 320 mm
Weight without blades	1300 g



ONE 300 watts single-speed shearing plant



ONE offers all of the advantages of the EVO but is only operated with the flexible shaft. Easy service and maintenance. Handy, light and quiet.

Specifications


Motor power:	300 watts
Rotary speed at 230V:	2950 rpm
Rotary speed at 120V:	3500 rpm
Dimensions (WxHxL):	243 x 317 x 209 mm
Weight:	6,5 kg
Noise emission (LpAm):	70 dB (A)



ONE single-speed shearing plant

Complete with flexible drive 200 cm and handpiece Icon:

- 722-610 A 230V EU worm
- 722-610 B 230V EU pin
- 722-620 A 230V GB worm
- 722-620 B 230V GB pin
- 722-640 A 120V US worm
- 722-640 B 120V US pin





EVO 300 watts and 3 speed shearing plant



First shearing plant in the world to be manufactured with an electronic safety switch. Official Electrosuisse and CSA safety standards certifications. Australian «WorkSafe» award.

Specifications

Motor power:	300 watts
Rotary speed at 230V:	3500/3200/2700 rpm
Rotary speed at 120V:	3600/3000/1900 rpm
Dimensions (WxHxL):	225 x 300 x 290 mm
Weight:	7,8 kg
Noise emission (LpAm):	70 dB (A)

Complete shearing plant EVO




Complete with flexible drive 200 cm and handpiece Icon:

- 722-710 A 230V EU worm
- 722-710 B 230V EU pin
- 722-720 A 230V GB worm
- 722-720 B 230V GB pin
- 722-740 A 120V US worm
- 722-740 B 120V US pin

Complete with solide downtube 200 cm and handpiece Icon:



- 722-710 I 230V EU worm
- 722-710 K 230V EU pin
- 722-720 I 230V GB worm
- 722-720 K 230V GB pin
- 722-740 I 120V US worm
- 722-740 K 120V US pin



Shearing combs for broad wool




Heiniger shearing combs for sheeps with broad wool in New Zealand and Europe.



Calibre Full thickness
93,5 mm wide / Short bevel
Designed specifically for harsh UK conditions and all crossbred full wool sheep.

714-098 Right hand



Charger Full thickness
93,5 mm wide / Short bevel
Designed specifically for New Zealand and UK conditions.

714-033 Right hand

714-032 Left hand



Quantum Plus Full thickness
95 mm wide / Short bevel
The full thickness profile enhances flow on the skin, leaving a polished finish.

714-089 Right hand



Warrior Full thickness
96 mm wide / Short bevel
Wide comb for crossbred with perfect flow in open wool.

714-059 Right hand



Quasar Full thickness
95 mm wide / Medium bevel
To achieve high tallies in open wool.


714-038 Right hand

Shearing combs for broad wool




Super Charged Run-In
93,5 mm wide / Short bevel
The lower profile of the Super Charged provides superior entry in open woolled sheep.

714-034 Right hand



Quantum Run-In
95 mm wide / Short bevel
Enhanced flow and maximised tallies in open woolled free combing sheep.

714-050 Right hand
714-068 Left hand




Raging Warrior Run-In
96 mm wide / Short bevel
Wide comb for crossbred with perfect flow in open wool.

714-056 Right hand



Condor Run-In
98 mm wide / Short bevel
The 98 mm wide profile offers optimum width of blow.

714-088 Right hand



XLR-8 Run-In
98 mm wide / Medium bevel
A maximum width - all purpose comb for shearing crossbred sheep through to fine wool sheep.

714-106 Right hand



Shearing combs for fine wool




Heiniger fine wool combs will withstand the harshest conditions, wherever you are shearing.




Awesome Full thickness
92 mm wide / Long Bevel
Exceptional easy entry and returning a polished finish in the toughest fine wool.

714-051 Right hand




Wicked Full thickness
93,5 mm wide / Long bevel
Proven to provide high tallies in all types of fine woolled sheep.

714-042 Right hand




B-Evil Full thickness
94,5 mm wide/ BAT bevel
Outperforms all other in the widest variety of merino and crossbred sheep.

714-130 Right hand



Bad Full thickness
95 mm wide / Long bevel
Not only easy entry in tough shearing sheep but also offering excellent values due to masimisation of grinds.

714-097 Right hand



Freestyle Full thickness
96 mm wide / Long bevel
Designed to shear average to poor shearing Merinos fast.

714-057 Right hand

714-087 Left hand

Shearing combs for fine wool



Rebel Run-In

92 mm wide / Long bevel

Features a sleek straight bottom rider with smooth bends to the top teeth.

714-086 Right hand




Xpress Run-In

93,5 mm wide / Long bevel

To use in the toughest shearing fine wool sheep. Performing straight from the packet.

714-061 Right hand




Freak Run-In

94,5 mm wide / Long bevel

Incorporating latest advancements in comb manufacturing.

714-085 Right hand

714-120 Left hand



Huge Run-In

96 mm wide / Long bevel

To obtain extra high tallies in all fine wool types.


714-075 Right hand




All purpose shearing combs




Heiniger all purpose combs designed for shearing open woolled Merinos and tough shearing crossbreds.




Rapier Full thickness
86 mm wide / Long bevel
Easy entry in damp, sticky wool.
A favourite in crutching cradles.
714-040 Right hand



Pro Legend Full thickness
92 mm wide / Medium bevel
Generally used in open fine wool type sheep.
714-031 Right hand



Reflex Full thickness
94 mm wide / Medium bevel
Ideal for shearing open woolled Merinos and tough shearing crossbreds.
714-077 Right hand
714-067 Left hand




Proflex Run-In
94 mm wide / Medium bevel
Dramatic improvement in flow of the comb and leaving a perfect finish.
714-096 Right hand


All purpose shearing combs



Topaz Full thickness
84,5 mm wide / Medium bevel
To use in all types of wool and
shearing conditions.
714-078 Right hand



Ovina Standard
77 mm wide Full thickness Medium bevel
Multi purpose comb.
714-020




Winter and cover combs



Heiniger winter comb for all shearing all sheep types and leaving a good residual cover of wool.




Blizzard Winter comb
94,5 mm wide / Short bevel
Universal winter comb for shearing all sheep types.
714-060 Right hand



IsoBar Winter comb
98 mm wide / Short bevel
Offering superior width of blow as well as an optimum entry and flow.
714-065 Right hand



Highlander Winter comb
98 mm wide / Medium bevel
Maximises tallies in open woolled and tougher crossbred sheep.
714-066 Right hand



Crusader Winter comb
94,5 mm wide / Long bevel
Specifically designed for shearing the tighter woolled sheep types.
714-069 Right hand


Special combs



Selected combs to shear goats, camelids and cattles.


Camelid Camelids shearing comb
Specially designed to shear llamas, alpacas, vicuñas, guanacos and camels. Leaves a cover of 6 to 10 mm of wool.
am Tier zurück.

714-025



Shattle Cattle clipping blade
To clip cattle on an electric or mechanical sharing handpiece with a standard cutter.

714-090



Mohair Goat shearing comb
90 mm wide / Short bevel
Specifically intended to shear mohair goats.

714-080 Right hand



Mach 9 Cover comb
94 mm wide / Long bevel
Specially designed to shear in extra tough sheep.

714-071 Right hand

714-074 Left hand



Slick Comb for sheep and goats
84,5 mm wide / Short bevel
Excellent flow of the comb, perfect finish.

714-115



Shearing cutters



Jet Full thickness cutter
4,4 mm thick
The Jet provides maximum
throw for extra wide combs.
714-010



Diamond Run-In cutter
3,7 mm thick
Uncompromised safety, superior entry
into tight wool.
714-011



Edge Full thickness cutter
4,4 mm thick
More versatility due to wide throw
and further reach on the comb.
714-151



Xtreme Run-In cutter
3,7 mm thick
Engineered to give high performance
straight from the box.
714-152



Storm Ultra thickness cutter
4,6 mm thick
The preferred cutter for all winter
combs.
714-150



SAPHIR

707-800 230V EU
707-801 230V GB
707-803 120V US



The Saphir small animal clipper is a combination of innovation and power, with its ergonomic versatile design it is fast becoming the "must-have" clipper of the pet grooming and clipping industry.

The small but powerful cordless clipper

Up to 60 minutes clipping per battery with high performance lithium-ionic technology. Additional battery pack and less than 45 minutes charging time for continuous clipping. Detachable Saphir blade systems compatible with clippers from Andis, Moser, Oster and Wahl.

Incl. carry case, clipping blades, charger unit, 2 Li-Ionic batteries, oil, brush.

Specifications

Motor power:	35 watts
Speed:	2650 db/min
Dimensions LxWxH:	204 x 50 x 41 mm
Weight incl. battery:	440 g
Battery voltage:	7,4V
Battery capacity:	1400 mAh



SAPHIR STYLE

707-750 230V EU
707-151 230V GB
707-753 120V US



Small, powerful and stylish

Low-noise, high-performance 35w permanent magnet motor. 2 high-performance batteries with the latest Lithium-ion technology for continuous clipping. Over 50 minutes of clipping time with less than 45 minutes of charging time. High-quality charger with additional charging dock for 2nd battery and size indicator. Large selection of exchangeable clipping heads, compatible with Andis, Moser, Oster and Wahl.

Incl. clipping blades, charger unit, 2 Li-Ionic batteries, oil, brush and instruction manual.

Specifications

Motor power:	35 watts
Speed:	2650 dbs/min
Dimensions LxWxH:	204 x 50 x 41 mm
Weight incl. battery:	440 g
Battery voltage:	7,4V
Battery capacity:	1400 mAh



SAPHIR CORD

707-700 230V EU

707-701 230V GB

707-703 120V US



The small but powerful electric clipper

Powerful 35w small animal clipper with 3m cord for continuous clipping. A "must have" for the professional groomer.

Large selection of exchangeable clipping heads, compatible with Andis, Moser, Oster and Wahl.

Incl. clipping blades, charger unit, oil, brush and instruction manual.

Specifications

Motor power:	35 watts
Speed:	3200 dbs/min
Dimensions LxWxH:	204 x 50 x 41 mm
Weight incl. battery:	330 g
Length cord:	3 m



Interchangeable blade sets

Heiniger SAPHIR clipper heads are compatible with clippers from Andis, Moser, Oster and Wahl.



#50 0,4 mm
VET Cat
707-905



#40 0,6 mm
VET Cat
707-910



#30 0,8 mm
VET Cat Dog
707-917



#15 1,5 mm
Cat Cow
707-926



#10 1,8 mm
Cat Dog Cow
707-930



#9 2,0 mm
Dog Horse Cow
707-933



#8.5 2,8 mm
Dog
707-941



#7 3,2 mm
Dog
707-943



#7F 3,2 mm
Dog
707-945



#5 6,0 mm
Dog
707-957



#5F 6,0 mm
Dog
707-960



#4 9,5 mm
Dog
707-964



#4F 9,5 mm
Dog
707-966



#5/8 0,8 mm
Cat Dog
707-920



#10W 2,3 mm
Horse Cow
707-974



PROGRESS

707-500 230V EU

707-501 230V GB

707-503 120V US



Slim grip, quiet operation, lightweight yet robust structure incorporating a powerful permanent magnet motor - comparable to a conventional motor of 150 watts.

A great option for clipping young or nervous horses

The clipping head pressure system prevents excessive blade pressure, thereby reducing wear on the blades. This light and handy clipping machine is equipped with a new, innovative permanent magnet motor which ensures a powerful smooth flow when clipping.

Incl. carry case, blade set, screwdriver, oil, brush.

Specifications

Motor power:	80 watts
Speed:	2200 db/min
Length:	280 mm
Weight:	930 g
Noise emission (LpAm):	70 dB (A)

Cattle and horse clipper



DELTA3

707-000 230V EU
707-001 230V GB
707-003 120V US



3 clipping speeds
Ergonomic design

Silent and powerful

The first Cattle & Horse Clipper on the market to offer three clipping speeds, allowing simple and comfortable clipping even under the toughest conditions. Durable and low maintenance design.

Incl. carry case, blade set, screwdriver, oil, brush.

Specifications

Motor power:	180 watts
Speed:	2100/2800/3200 db/min
Length:	310 mm
Weight:	1320 g
Noise emission (LpAm):	72/75/78 dB (A)



XPERIENCE

708-000 230V EU

708-001 230V GB



Powerful and ergonomically designed

Extremely high performance permanent magnet motor. Ergonomic, light weight design. Durable fibreglass reinforced housing.

The latest clipper from Heiniger. Combining power with comfort this cutting edge technology is an exciting advance for horse and cattle clipping. Unique and innovative, stable connection between the clipping head and housing.

Incl. carry case, blade set, screwdriver, oil, brush.

Specifications

Motor power:	200 watts*
Speed:	2500 db/min
Length:	301 mm
Weight:	1250 g
Noise emission (LpAm):	70 dB (A)

*Corresponds with the former motor technology 350 watts



HANDY

701-800 230V EU
701-840 230V GB
701-870 120V US



Stable and durable
Compact design
Reliable and handy

The Horse-Specialiste

Easy-to-operate, reliable and sturdy horse clipping machine. Light and quiet, for thorough clipping in all areas. Service friendly.

Incl. carry case, blade set, screwdriver, oil, brush and instruction manual.

Specifications

Motor power:	120 watts
Speed:	3200 db/min
Length:	310 mm
Weight:	1250 g
Noise emission (LpAm):	75 dB (A)



CORDLESS

701-700 230V EU
701-766 230V GB
701-761 120V US



Battery-operated clipping machine 7.2V
Electronic overload safety switch
Over 60 minutes of clipping time

The solid battery clipper

The 2.0 Ah NiCd battery offers over 1 hour of independence from the mains supply, the charge time is less than one hour. Optional additional replaceable battery for continuous clipping.

Incl. carry case, blade set, screwdriver, oil, brush.

Specifications

Motor power:	35 watts
Speed:	2000 dbs/min
Length:	310 mm
Weight:	1200 g
Noise emission (LpAm):	72 dB (A)
Battery voltage:	7.2V



USV

701-600 230V EU
701-400 230V GB
701-660 120V US



High-power clipping machine
Solid and sturdy
Thermal overload safety switch

For the gentle cattle clipping

The innovative pressure system of the clipping head prevents excess stress on the blade pressure so that the wear on the blade is reduced. Gentle, reliable operation due to a well-balanced clipping system.

Incl. carry case, blade set, screwdriver, oil, brush.

Specifications

Motor power:	320 watts
Speed:	2400 db/s/min
Length:	350 mm
Weight:	1530 g
Noise emission (LpAm):	86 dB (A)



C12

701-100



Ideal for clipping in remote areas. With car or motorcycle battery operation time of 4 to 5 hours.

Battery clipper 12V

Handy and light, the C12 can be used everywhere where a 12V power source is available. 5m cable and battery clips.



Incl. carry case, blade set, screwdriver, oil, brush.

Specifications

Motor power:	160 watts
Speed:	2250 db/min
Length:	290 mm
Weight:	1230 g
Noise emission (LpAm):	84 dB (A)





Made from high quality blade steel and finished with a special grinding process. The design and applied hollow grind ensures a long lasting optimum cut.



Standard cattle blade set

Suitable for dirty coats.
For use with cattle clippers.
Coat length after clipping 2-4 mm.



703-520 Set 21/23
703-300 Bottom blade 21
703-220 Top blade 23



18/23 tough blade set

Special blade for clipping very dirty coats.
Coat length after clipping 2-4 mm.


703-690 Set Grob 18/23
703-370 Bottom blade 18
703-220 Top blade 23



18/15 thick coat blade set

For cattle breeds with a thick long or frizzy coat. Coat length after clipping 2-4 mm.


703-700 Set 18/15
703-370 Bottom blade 18
703-200 Top blade 15



Standard horse blade set

Suitable for clean coats.
Coat length after clipping 2-4 mm.

703-530 Set 31/15
703-310 Bottom blade 31
703-200 Top blade 15



Fine horse blade set

For a perfect finish.
Coat length after clipping 1-2 mm.

703-560 Set 31F/15
703-320 Bottom blade 31F
703-200 Top blade 15




Surgical use blade set

Coat length after clipping 0.1 mm.

703-670 Set 53/23

703-350 Bottom blade 53

703-220 Top blade 23



Standard horse blade set

Suitable for clean coats.

Coat length after clipping 2-4 mm.

703-550 Set 31/23

703-310 Bottom blade 31

703-220 Top blade 23



Fine horse blade set



For a perfect finish.

Coat length after clipping 1-2 mm.

703-580 Set Standard 31F/23

703-320 Bottom blade 31F

703-220 Top blade 23



Horse/cow styling blade set

Coat length after clipping 2-4 mm.

703-600 Set 35/17

703-330 Bottom blade 35

703-210 Top blade 17



Horse/cow styling blade set



To clip close the skin.

Coat length after clipping 1-2 mm.

703-630 Set 35F/17

703-340 Bottom blade 35F

703-210 Top blade 17






Heiniger offers a comprehensive range of shearing accessories.

Hand shears

Quality hand shears for sheep.
Blade length 13 cm, total length 32 cm.
133-002




Shearers comb brush

A very useful brush for removing sticky grease from combs.
701-653



Screwdriver

Octagonal handle provides excellent grip with longer blades for better tensioning.
701-646



Tally counter

0-9999 push button operation, chrome plated with instant reset.
523-000



Clipper oil

Specially developed non toxic clipper oil increases performance, reduces friction and enhances blade life.

701-647 Dispenser bottle 100 ml
707-102 Refill bottle 500 ml





CombiGrinder

718-050 CombiGrinder 230V

718-051 CombiGrinder 120V



Swiss Made
Comfortable and easy

Grinds cattle, horse and pet clipper blades

Never before has grinding been so simple! Professional results with comfort and ease.

The CombiGrinder package has everything you need included – simply unpack and start grinding!

Incl. 1 grinding paste coarse, 1 precision ruler, 1 grinding holder for flat clipper blades, 1 instruction manual.



715-210 grinding paste fine

715-220 grinding paste coarse

Specifications

Electric:	230V / 50Hz / 0,37kW / 2,6A, 120V / 60Hz / 0,37kW / 5,0A
Speed:	1420 rpm at 230V / 1700 rpm at 120V
Dimensions:	Width 430 mm / depth 400 mm / height 330 mm
Weight:	21.6 kg
Ø disc:	352 mm



EasyGrinder

718-200 A EasyGrinder 230V / 370W EU



Simple to adjust and handle. A simple but precise fixed head aluminium pendulum to grind shearing combs and cutters.

Swiss Made

Powerful but lightweight grinder that's truly portable. The Heiniger EasyGrinder, the simplest way to grind your shearing combs and cutters. Made in Switzerland.

Comes complete with:

Aluminium disc

Grinding pendulum

Self-adhesive emery paper 60 grit

Guide sleeve

Protective safety eye and ear wear

Instruction manual

Specifications

Electric:	0,37kW / 230-240V / 50Hz / 2,6A
Speed:	1420 rpm
Dimensions:	Height 740 mm with cross arm / 475 mm without cross arm Width 400 mm / depth 320 mm / disc Ø 370 mm
Weight:	23 kg



ACUTECC

- 719-301 Euro Acutecc 230V / 1100W EU
- 719-302 Euro Acutecc 230V / 370W GB
- 719-303 Acutecc 230V / 1100W EU



Grinder for shearing combs and cutters

Powerful enough for permanent installation, yet light enough to be truly portable. Incl. low heat precision discs, double-sided clamp plate.

Precision sharpening pendulum, grinding spanner and Heiniger emery. All packaged in durable aluminium carry case.

Specifications

Motor power:	1,1kW / 230V / 7,5A
Motor speed:	2800 rpm
Dimensions (HxWxD):	760 x 425 x 425 mm
Folded down weight:	480 mm
Weight:	34 kg

Sharpening Pendulum for ACUTECC

719-032



This quality controlled precision sharpening pendulum is supplied in an aluminium storage carry case, complete with a new sharpening technique chart, three handles and protective safety eye and ear wear.

Emery papers

- 719-011 Coarse / grit 40 / combs
- 719-012 Fine / grit 80 / cutters





KTS Grinder

718-100 A 240V/370W EU

718-100 C 240V/370W GB



The KTS grinder, the professional solution to grind small animal clipper blades.

Semi-automatic grinder that grinds the blades always with the right grinding pressure. Simple to handle as using only high quality grinding powder.

Thanks to the special aluminium grinding disc best possible grinding results can be achieved. Improved clipping performance thanks to the ideal hollow grinding.

Specifications

Motor power:	0.37kW / 240V
Motor speed:	1000 rpm
Dimensions (HxWxL):	330 x 460 x 460 mm
Weight:	34 kg

Merchandising

Heiniger quality clothing and accessories for the professional shearer.
Delivery times on demand.



Black Magic Shearing Jeans

Original Shearing Jeans

985-001



Sweat Shirt

985-011



Merino Boxer Shorts

100 % Merino wool

985-014



Heiniger Beanie

80 % wool

985-015



Shearers Singlet

Extra long, to protect your back

985-000



Moccasins

Leather

985-002

Heiniger

Authorized Dealer:

Heiniger AG
Industrieweg 8
CH-3360 Herzogenbuchsee
Switzerland

Phone +41 (0)62 956 92 00
Fax +41 (0)62 956 92 85
marketing@heiniger.com
www.heiniger.com

